

## cpinfo - Check Point data collector

Collects data on the customer's machine on the moment of execution.  
The output file enables Check Point's support engineers to analyze the customer's set-up from a remote location.

### Syntax:

```
cpinfo [-v] [-l] [-n] [-z] [-o <output_file>] [-r | -t [tablename]] [-c cma ...] -x ctx
```

- o <output\_file>: Redirect output into file output\_file
- z: Output is gzipped (Effective with -o)
- r: Include the registry in the output (Windows - Very large output)
- v: Print version information
- l: Embed Log records (Very large output)
- n: Do not resolve network addresses (Faster)
- t: Output consists of tables only (SR only)
- c: Specific CMA (Provider-1) – this flag can be used more than once
- x: Specific CTX (VSX)

### Examples:

Get the version of cpinfo:

```
cpinfo -v
```

Send results to output file "cpinfo.out" (No address resolution):

```
cpinfo -n -o cpinfo.out
```

Send compressed results to output file "cpinfo.out.gz":

```
cpinfo -z -o cpinfo.out
```

Get information regarding (Provider-1) CMAs My\_Cma and Your\_Cma:

```
cpinfo -c My_Cma -c Your_Cma -o cpinfo.out
```

Get information regarding (VSX) CTX number 5:

```
cpinfo -x 5 -o cpinfo.out
```

## gcpinfo – GUI for cpinfo

Graphical User Interface for cpinfo.  
Available for most Operating Systems.  
Must be installed with cpinfo in the same directory.  
Invoked by double-click (Windows) or typing gcpinfo.